

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	forward\$3 near6 (email or e-mail or mail) near7 HTTP near3 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:30
L3	0	forward\$3 near6 (email or e-mail or mail) same HTTP near3 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:23
L4	91	forward\$3 near6 (email or e-mail or mail) and HTTP near3 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:40
L5	19	forward\$3 with HTTP near3 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:13
L6	2	L5 and forward\$3 near6 (email or e-mail or mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:05
L7	851	HTTP adj3 port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:20
L8	49	L7 and forward\$3 near6 (email or e-mail or mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:14
L9	57	L7 and forward\$3 near12 (email or e-mail or mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:14

L10	0	L7 same forward\$3 near12 (email or e-mail or mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:14
L11	13	L7 same forward\$3 near12 (email or e-mail or mail or message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:14
L12	17	L7 with forward\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:18
L13	66	L7 same send\$3 near6 (email or mail or message or e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:20
L14	5	L13 and (@AD < "20000317" or @PRAD < "20000317")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:31
L16	1	forward\$3 near8 (email or e-mail or mail) same port near2 "80"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:28
L17	66	forward\$3 near6 (email or e-mail or mail) near7 HTTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:30
L18	23	L17 and (@AD < "20000317" or @PRAD < "20000317")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:52

L19	0	forward\$3 near10 (email or e-mail or mail) with firewall near8 HTTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:40
L20	2	forward\$3 near10 (email or e-mail or mail or message) with firewall near8 HTTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:40
L21	1813	HTTP near7 (email or e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:52
L22	347	L21 and (@AD < "20000317" or @PRAD < "20000317")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:19
L23	129	L22 and forward\$3 near12 (message or mail or email or e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:52
L25	72	web near4 based near5 (email or e-mail) same HTTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:19
L26	15	L25 and (@AD < "20000317" or @PRAD < "20000317")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:19
L27	7	HTTP near3 port near7 HTTP near3 POST	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 12:52

L28	21	HTTP near3 port near7 POST	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 12:51
L29	2	"6757712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 13:23